

Notice of Allowability

Application No.

09/747,163

Examiner

David Mis

Applicant(s)

STRAUB ET AL

Art Unit

2817

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 09/11/03
2. ☒ The allowed claim(s) is/are 1-21.
3. ☒ The drawings filed on 21 December 2000 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- (a) ☐ The translation of the foreign language provisional application has been received.
6. ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No. _____.
- (b) ☐ including changes required by the proposed drawing correction filed _____ which has been approved by the Examiner.
- (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1 ☐ Notice of References Cited (PTO-892)
- 3 ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 5 ☐ Information Disclosure Statements (PTO-1449), Paper No. _____
- 7 ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 2 ☐ Notice of Informal Patent Application (PTO-152)
- 4 ☐ Interview Summary (PTO-413), Paper No. _____
- 6 ☐ Examiner's Amendment/Comment
- 8 ☒ Examiner's Statement of Reasons for Allowance
- 9 ☐ Other

1. The following is an examiner's statement of reasons for allowance: The prior art did not anticipate that combined with making the clock signal differential. (Banu et al did not use JFETs. They used MOSFETs (column 4, lines 23-27) for linearity. Banu et al circuit 110 controlled phase splitters to make the amplitude and phase of signals 122 and 126 both good, see especially column 1, lines 26-42, column 2, lines 30-35 and column 4, lines 16-20. Banu et al circuit 110 produced a signal that adjusted the phase of the phase shifters 202, 228 so that the amplitude and phase of the output signal were good – and thus provided a phase comparison function because a good phase was related to a good amplitude. Finally, rather than using the exact figure 2 Banu et al circuit as splitter 42 of Bojer and providing a converter, one of ordinary skill in the art would have just used a single ended input optional Banu et al circuit (column 5, lines 44-64) because the motivation was thereby not present to provide the converter.)

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Mis whose telephone number is 7033084907. The examiner can normally be reached on M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on 7033084909. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 7033080956.

A handwritten signature in black ink, appearing to read 'David Mis', is positioned above the printed name.

David Mis
Primary Examiner
Art Unit 2817